


7.1.4 - WASTE MANAGEMENT
MoU/Agreement

DR. MANOJ KUMAR, K.P.
Principal
KMCT Dental College
Manassery, Mukkam

Handwritten signature in green ink.



Recognised by UGC u/s 2(f), Accredited by NAAC with A+ Grade, Approved Research Centre of KUHS



INDIAN MEDICAL ASSOCIATION GOES ECO-FRIENDLY (IMAGE)

IMA State Headquarters, Anayara P.O., Thiruvananthapuram - 695029; Ph.0471-2742211, 2741188
IMAGE COMMON BIOMEDICAL WASTE TREATMENT FACILITY - CBWTF
(Behind Gramareshmi Mudrayam, Manthunurthy, Kanjode West, Palakkad - 676823)

CERTIFICATE

No. IMAGE/ANC/108290/2024-2025

This is to certify that M/s. KMCT Dental College, Block No. 2 And 3, Kmct Medical College Campus, Mukkam, Manassery, Kozhikkode, Kerala owned by Dr. Ayisha Nazreen, has been affiliated (KKD.1808) as "Dental Institutions" with IMAGE(the Common Biomedical Waste Treatment Facility) which is a project of Indian Medical Association Kerala State Branch with the authorisation of Kerala State Pollution Control Board vide its Consent No.KSPCB/RO/RKD/PLKD/ICO-R/05/100333386/2023.

IMAGE is collecting, transporting, treating, and disposing all the biomedical waste from this institution as per the Biomedical Waste Management Rules from 23-03-2022.

The Validity of this Certificate is only up to 31st March 2025

[Signature]

Dr. Sharafudheen K.P
Hon. Secretary IMAGE, IMA KSB




IMAGE - The Promise for all Biomedical Waste



DR. MANOJ KUMAR, K.P
Principal
KMCT Dental College
Manassery, Mukkam

48

Recognised by UGC u/s 2(f), Accredited by NAAC with A+ Grade, Approved Research Centre of KUHs



KMCT
DENTAL COLLEGE

E WASTE

FILE NO : PCB/EKD/104/1619
Date of issue : 04.03.2020



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO
OPERATE/AUTHORISATION/REGISTRATION

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974
The Air (Prevention & Control of Pollution) Act, 1981
and
The Environment (Protection) Act, 1986

As per Application No. : 12774556
Dated: 14.01.2020

TO

M/S. GREEN WORKS ECO SOLUTIONS LLP
GREEN WORKS ECO SOLUTIONS LLP
75/1A, NEAR KODAKES
SHCOOL, PIZHAKATTU, LOCALITY: THEERANNAVA ROAD, KADATHALA P
O, ALTYA 68961

Consent No. : CSE/REG/2019/104
Valid Up to : 01.06.2025


I. GENERAL




DR. MANOJ KUMAR. K.P.
Principal
KMCT Dental College
Manassery, Muzhappil

Recognised by UGC u/s 2(f), Accredited by NAAC with A+ Grade, Approved Research Centre of KUHS

KMCT Medical College Campus, Muzhappil, Kozhikode - 673602
0495-2292000 ✉ dental@kmct.edu.in





Recognised by UGC u/s 2(f), Accredited by NAAC with A+ Grade, Approved Research Centre of KJ Somaiya

DR. MANOJ KUMAR, K.P.
Principal
KMCT Dental College
Manassery, Mukkam



1. CONDITIONS AS PER The Air (Prevention and Control of Pollution) Act, 1981


2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having capacity equivalent to per the treatment capacity as provided in the consent order shall be maintained at all times during which the industry is functioning. A consent order is required if any, to ensure the standards laid down by the Board and shall also be made along with.

2.2 Water consumption -

2.3 Effluent generation: NA

2.4 The characterisation of effluent after treatment shall conform to the following standards:

Sl. No.	Parameter	Limit	Trade Effluent
	Temperature	42°C	
	Acidity/Alkalinity	10.0	
	Biochemical Oxygen Demand (BOD ₅)	5.0	
	Chemical Oxygen Demand (COD)	250.0	
	Total Suspended Solids (TSS)	100.0	
	Total Dissolved Solids (TDS)	1000.0	
	Oil & Grease	10.0	
	Ammonia Nitrogen	1.0	
	Nitrate Nitrogen	45.0	
	Fluoride	1.0	
	Cyanide	0.5	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	
	Magnesium	100.0	
	Iron	10.0	
	Copper	1.0	
	Zinc	5.0	
	Lead	0.1	
	Cadmium	0.01	
	Mercury	0.001	
	Barium	10.0	
	Selenium	0.1	
	Chromium (VI)	0.1	
	Chromium (Total)	0.1	
	Manganese	0.1	
	Nickel	0.1	
	Silver	0.01	
	Vanadium	0.1	
	Antimony	0.1	
	Fluoride	1.0	
	Chloride	2500.0	
	Sulphate	2000.0	
	Calcium	200.0	



DATE 04-03-2010

A M HAREES

Digitally signed by A. M. HAREES


SIGNATURE & SEAL OF ISSUING AUTHORITY
ASSISTANT ATTORNEY GENERAL

1.2	For renewal of the consent in case of continuance of discharge operation of the industry.
1.3	Application in the prescribed form shall be submitted through the web portal of the Board for Consent Discharge & Monitoring System 2 months prior to the date of expiry. Late application will be accepted only with fine.
1.4	This consent is granted subject to the power of the Board to review and make variations in or revoke any of the conditions as the Board deems fit as per the relevant Acts/Rules.
1.5	The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention and control of air, water, land and sound pollution.
1.6	Arrangements for collection, segregation, storage, handling and disposal of solid waste including garbage shall be provided and maintained properly.
1.7	Energy and water conservation measures shall be adopted as far as possible.
1.8	Reasonable sources of energy such as solar energy shall be utilized for lighting and heating wherever possible.
1.9	There shall not be any fugitive emission from the premises.
1.10	Good housekeeping shall be maintained in and around the plant.
1.11	All operations likely to produce dust or noise shall be carried out with appropriate enclosure.
1.12	The committee shall put up a sign board of size five ft. near the main entrance of the plant to display the name of the unit and important consent conditions.
1.13	No change or alteration of the industrial plant is to be made without the prior written permission of the Board. Any change in the particulars furnished and/or in the identity of the company authorized agent is to be intimated to the Board forthwith.
1.14	There shall be no fugitive emission from the premises.
1.15	Solid waste shall be disposed off scientifically.
1.16	Raw materials and products shall be handled with proper care to prevent spreading of dust.
1.17	There shall not be any trade effluent from the unit.

5. SPECIFIC CONDITIONS

It seems that he dropped off early as per the E-Work Management System. To be

ST No.	Household Name	Suburb & Village	Constituency
State of			
District			



Principal
KMCT Dental College
Manassery, Makkam

24



MOHAMMED HAMSEH
CHERUSOTA HOUSE
EDVANGA PONTANBUR
MALAPPUKAM

이

